

 SQLPhone

```
1 Create table libros (ID_del_libro INT
2 auto_increment primary key,
3 Nombre VARCHAR(50) NOT NULL,
4 Editorial VARCHAR(50) NOT NULL,
5 Autor VARCHAR (50) NOT NULL,
6 Genero VARCHAR(50) NOT NULL);
```



Script executed!

→ () ; , * ' "



Y

DE

1



Q¹ W² E³ R⁴ T⁵ Y⁶ U⁷ I⁸ O⁹ P⁰

A S D F G H J K L Ñ



Z

X

C

V

B

N

M



?123

,



.



8:08



≡ SQLPhone



```
1 INSERT INTO Ussuario (ID_Usuario, Nombre,  
2 Correo) VALUES ('2626', 'Pollito',  
3 'polilirotuf@29'), ('282', 'Cuaje',  
4 'fjffjfk@92');
```



SQLPhone



```
1 SELECT * FROM libros
```



id_del_libro	nombre	editorial	autor	genero
null	pepa	sudamericana	gabriel	real:
null	pinocho	francisco	miguel	nove:



→ () ; , * ' "



libros

libras



q¹ w² e³ r⁴ t⁵ y⁶ u⁷ i⁸ o⁹ p⁰

a s d f g h j k l ñ



z

x

c

v

b

n

m



?123

,



.





```
1 INSERT INTO libros (Nombre, Editorial,  
2 Autor, Genero)  
3 VALUES  
4 ('pepa', 'Sudamericana', 'Gabriel ',  
5 'Realismo mágico'),  
6 ('pinocho', 'Francisco ', 'Miguel ',  
7 'Novela');
```



Script executed!

→ () ; , * ' "



de

y

a



q¹ w² e³ r⁴ t⁵ y⁶ u⁷ i⁸ o⁹ p⁰

a s d f g h j k l ñ



z

x

c

v

b

n

m



?123

,



.



SQLPhone



```
1 SELECT * FROM Ubicación
```



id_ubi	seccion	apartado
null	cuento	terror
null	obras	drama



→ () ; , * ' "



U

Y

Un



q¹ w² e³ r⁴ t⁵ y⁶ u⁷ i⁸ o⁹ p⁰

a s d f g h j k l ñ



z

x

c

v

b

n

m



?123

,



.





```
1 select apartado FROM Ubicación
```



apartado
terror
drama



→| ← → () ; , *



apartado | apartando | Apartadó



q¹ w² e³ r⁴ t⁵ y⁶ u⁷ i⁸ o⁹ p⁰

a s d f g h j k l ñ



z

x

c

v

b

n

m



?123

,



.

